

serveur smtp entrant**/var/log/maillog****réception du message**

```
Jun  5 18:32:36 gi-webmail postfix/smtpd[15992]: connect from inpgse160.inpg.fr[195.83.75.160]
Jun  5 18:32:36 gi-webmail postfix/smtpd[15992]: B311DAF643: client=inpgse160.inpg.fr[195.83.75.160]
Jun  5 18:32:36 gi-webmail postfix/cleanup[16099]: B311DAF643: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:36 gi-webmail postfix/qmgr[6244]: B311DAF643: from=<cat.b@laposte.net>, size=569, nrcpt=1 (queue active)
Jun  5 18:32:36 gi-webmail postfix/smtpd[15992]: disconnect from inpgse160.inpg.fr[195.83.75.160]
```

/var/log/maillog

```
Jun  5 18:32:36 gi-webmail postfix/smtpd[15920]: connect from localhost[127.0.0.1]
Jun  5 18:32:36 gi-webmail postfix/smtpd[15920]: DB5E2AF649: client=localhost[127.0.0.1]
Jun  5 18:32:36 gi-webmail postfix/cleanup[16090]: DB5E2AF649: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:36 gi-webmail postfix/qmgr[6244]: DB5E2AF649: from=<cat.b@laposte.net>, size=1009, nrcpt=1 (queue active)
Jun  5 18:32:36 gi-webmail postfix/smtpd[15920]: disconnect from localhost[127.0.0.1]
```

/var/log/maillog**vérification de salubrité du message**

```
Jun  5 18:32:36 gi-webmail postfix/cleanup[16101]: F1D60AF652: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:36 gi-webmail amavis[16019]: (16019-14) Passed CLEAN, [195.83.75.160] [195.83.75.160] <cat.b@laposte.net> -> <spip.cellule@inpg.fr>, Message-ID: <4848146E.4080000@laposte.net>, mail_id:
SMJ3QD5oPoXY, Hits: -, queued_as: DB5E2AF649, 195 ms
```

/var/log/maillog**envoi du message au serveur sympa**

```
Jun  5 18:32:37 gi-webmail postfix/smtp[16036]: B311DAF643: to=<spip.cellule@inpg.fr>, relay=127.0.0.1[127.0.0.1], delay=1, status=sent (250 2.6.0 Ok, id=16019-14, from MTA([127.0.0.1]:10025): 250 Ok: queued as
DB5E2AF649)
Jun  5 18:32:37 gi-webmail postfix/qmgr[6244]: B311DAF643: removed
Jun  5 18:32:37 gi-webmail postfix/local[16075]: DB5E2AF649: to=<spip.cellule@inpg.fr>, relay=local, delay=1, status=sent (forwarded as F1D60AF652)
Jun  5 18:32:37 gi-webmail postfix/qmgr[6244]: F1D60AF652: from=<cat.b@laposte.net>, size=1144, nrcpt=1 (queue active)
Jun  5 18:32:37 gi-webmail postfix/qmgr[6244]: DB5E2AF649: removed
Jun  5 18:32:37 gi-webmail postfix/smtp[16091]: F1D60AF652: to=<spip.cellule@listes.inpg.fr>, orig_to=<spip.cellule@inpg.fr>, relay=tulipe.inpg.fr[195.83.76.34], delay=1, status=sent (250 2.0.0 m55GWTDk011365 Message
accepted for delivery)
Jun  5 18:32:37 gi-webmail postfix/qmgr[6244]: F1D60AF652: removed
```

serveur sympa**/var/log/maillog****réception du message du serveur smtp entrant**

Jun 5 18:32:29 tulipe sendmail[11365]: m55GWTdk011365: from=<cat.b@laposte.net>, size=1118, class=0, nrcpts=1, msgid=<4848146E.4080000@laposte.net>, proto=ESMTP, daemon=MTA, relay=gi-webmail.inpg.fr [195.83.76.36]

/var/log/maillog**Transfert à la liste**

Jun 5 18:32:30 tulipe sendmail[11366]: m55GWTdk011365: to="| /home/sympa/bin/queue spip.cellule", ctladdr=<spip.cellule@listes.inpg.fr> (8/0), delay=00:00:01, xdelay=00:00:01, mailer=prog, pri=31320, dsn=2.0.0, stat=Sent

/var/log/maillog**Vérification si émetteur autorisé**

Jun 5 18:32:31 tulipe sendmail[11368]: m55GWW9f011368: Authentication-Warning: tulipe.inpg.fr: sympa set sender to spip.cellule-owner@inpg.fr using -f
Jun 5 18:32:31 tulipe sendmail[11368]: m55GWW9f011368: from=spip.cellule-owner@inpg.fr, size=1877, class=-30, nrcpts=3, msgid=<4848146E.4080000@laposte.net>, relay=sympa@localhost
Jun 5 18:32:32 tulipe sendmail[11369]: m55GWWoh011369: from=<spip.cellule-owner@inpg.fr>, size=2101, class=-30, nrcpts=3, msgid=<4848146E.4080000@laposte.net>, proto=ESMTP, daemon=MTA, relay=tulipe.inpg.fr [127.0.0.1]

/var/log/maillog**Traitement du message**

Jun 5 18:32:31 tulipe sympa[4128]: main::DoFile() Processing /home/sympa/spool/msg/spip.cellule.1212683549.11367 ; sender: catherine balleydier <cat.b@laposte.net> ; message-id: <4848146E.4080000@laposte.net>
Jun 5 18:32:31 tulipe sympa[4128]: main::DoMessage() Processing message for spip.cellule with priority 5, <4848146E.4080000@laposte.net>
Jun 5 18:32:31 tulipe sympa[4128]: main::DoMessage() Message for spip.cellule from cat.b@laposte.net accepted (0 seconds, 1 sessions, 3 subscribers), message-id=<4848146E.4080000@laposte.net> , size=1344

/var/log/sympa.log**Envoi message aux abonnés**

Jun 5 18:32:32 tulipe sendmail[11368]: m55GWW9f011368: to= catherine.balleydier@inpg.fr,catherine.balleydier@bvra.inpg.fr, ctladdr=spip.cellule-owner@inpg.fr (503/503), delay=00:00:01, xdelay=00:00:00, mailer=relay, pri=145877, relay=[127.0.0.1] [127.0.0.1], dsn=2.0.0, stat=Sent (m55GWWoh011369 Message accepted for delivery)
Jun 5 18:32:32 tulipe sendmail[11371]: m55GWWoh011369: to=<catherine.balleydier@bvra.inpg.fr>,<catherine.balleydier@inpg.fr> , delay=00:00:00, xdelay=00:00:00, mailer=esmtpl, pri=236101, relay=smtp.inpg.fr [195.83.76.36], dsn=2.0.0, stat=Sent (Ok: queued as 7B488AF643)

serveur smtp sortant**/var/log/maillog****réception du message du serveur sympa**

```
Jun  5 18:32:39 gi-webmail postfix/smtpd[15697]: connect from tulipe.inpg.fr[195.83.76.34]
Jun  5 18:32:39 gi-webmail postfix/smtpd[15697]: 7B488AF643: client=tulipe.inpg.fr[195.83.76.34]
Jun  5 18:32:39 gi-webmail postfix/cleanup[15979]: 7B488AF643: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: 7B488AF643: from=<spip.cellule-owner@inpg.fr>, size=2471, nrcpt=3 (queue active)
Jun  5 18:32:39 gi-webmail postfix/smtpd[15697]: disconnect from tulipe.inpg.fr[195.83.76.34]
```

/var/log/maillog

```
Jun  5 18:32:39 gi-webmail postfix/smtpd[15920]: connect from localhost[127.0.0.1]
Jun  5 18:32:39 gi-webmail postfix/smtpd[15920]: A66F3AF649: client=localhost[127.0.0.1]
Jun  5 18:32:39 gi-webmail postfix/cleanup[15929]: A66F3AF649: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: A66F3AF649: from=<spip.cellule-owner@inpg.fr>, size=2855, nrcpt=3 (queue active)
Jun  5 18:32:39 gi-webmail postfix/smtpd[15920]: disconnect from localhost[127.0.0.1]
```

/var/log/maillog**vérification de salubrité du message**

```
Jun  5 18:32:39 gi-webmail postfix/cleanup[16099]: C1E3CAF657: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:39 gi-webmail postfix/cleanup[15979]: C2085AF65B: message-id=<4848146E.4080000@laposte.net>
Jun  5 18:32:39 gi-webmail amavis[16019]: (16019-15) Passed CLEAN, [195.83.76.34] [195.83.75.160] <spip.cellule-owner@inpg.fr> -> <catherine.balleydier@bvra.inpg.fr>,<catherine.balleydier@inpg.fr>,Message-ID:
<4848146E.4080000@laposte.net>, mail_id: TVL74HihTlmt, Hits: -, queued_as: A66F3AF649, 210 ms
```

/var/log/maillog

```
Jun  5 18:32:39 gi-webmail postfix/smtp[16036]: 7B488AF643: to=<catherine.balleydier@bvra.inpg.fr>, relay=127.0.0.1[127.0.0.1], delay=0, status=sent (250 2.6.0 Ok, id=16019-15, from MTA([127.0.0.1]:10025): 250 Ok:
queued as A66F3AF649)
Jun  5 18:32:39 gi-webmail postfix/smtp[16036]: 7B488AF643: to=<catherine.balleydier@inpg.fr>, relay=127.0.0.1[127.0.0.1], delay=0, status=sent (250 2.6.0 Ok, id=16019-15, from MTA([127.0.0.1]:10025): 250 Ok: queued
as A66F3AF649)
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: 7B488AF643: removed
```

/var/log/maillog**envoi au premier abonné**

```
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: C2085AF65B: from=<spip.cellule-owner@inpg.fr>, size=2988, nrcpt=1 (queue active)
Jun  5 18:32:39 gi-webmail postfix/local[16100]: A66F3AF649: to=<catherine.balleydier@inpg.fr>, relay=local, delay=0, status=sent (forwarded as C1E3CAF657)

Jun  5 18:32:39 gi-webmail postfix/cleanup[16090]: C2923AF669: message-id=<4848146E.4080000@laposte.net>
```

/var/log/maillog**envoi au deuxième abonné**

```
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: C1E3CAF657: from=<spip.cellule-owner@inpg.fr>, size=2998, nrcpt=1 (queue active)
Jun  5 18:32:39 gi-webmail postfix/smtp[16106]: A66F3AF649: to=<catherine.balleydier@bvra.inpg.fr>, relay=smtp38.bv.rhone-alpes.fr[193.54.133.250], delay=0, status=sent (250 2.6.0 <4848146E.4080000@laposte.net>
Queued mail for delivery)
```

/var/log/maillog

```
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: C2923AF669: from=<spip.cellule-owner@inpg.fr>, size=2984, nrcpt=1 (queue active)
Jun  5 18:32:39 gi-webmail postfix/cleanup[16101]: C267CAF664: message-id=<4848146E.4080000@laposte.net>

Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: C267CAF664: from=<spip.cellule-owner@inpg.fr>, size=2991, nrcpt=1 (queue active)
Jun  5 18:32:39 gi-webmail postfix/qmgr[6244]: A66F3AF649: removed

Jun  5 18:32:44 gi-webmail postfix/smtp[16076]: C1E3CAF657: to=<baledier@mailviallet.inpg.fr>, orig_to=<catherine.balleydier@inpg.fr>, relay=blade1.inpg.fr[195.83.75.130], delay=5, status=sent (250 2.0.0
m55GWbP2006009 Message accepted for delivery)

Jun  5 18:32:44 gi-webmail postfix/qmgr[6244]: C1E3CAF657: removed
```

serveur sympa**/var/log/sympa.log**

```
Jun  5 18:32:43 tulipe archived[4135]: Archiving spip.cellule@inpg.fr.1212683551.4128.357 for list spip.cellule@inpg.fr
```